ROSE < CASE



BYYDURSIDE

A QUALITY PRODUCT FROM ROSE PLASTIC

ROSECASE

Protection starts with the right case. For over 70 years, rose plastic has been developing packaging solutions that do more than just transport products from A to B.

With ROSE CASE – a trusted brand of the rose plastic group – we offer high-quality plastic cases that are not only rugged, but smartly designed. For those who demand quality, precision, and reliable protection.




















WHAT DRIVES US?

The perfect mix of experience and innovation. With deep expertise in packaging and a global network of production sites and subsidiaries, we offer a fast, flexible service – right where you need it.

Every job is different. Every requirement unique. But one thing never changes: our commitment to packaging solutions that think ahead, keep pace – and are ready when you are.





ALWAYS CLOSE. NO MATTER WHERE.

Since its founding in 1953, rose plastic has grown rapidly into a truly global company. Today, around 800 employees worldwide contribute to the success of our group – with 400 of them working at our headquarters in Hergensweiler, Germany.

With production facilities in Germany, the USA, Brazil, China, and India, as well as subsidiaries across Europe and Asia, we are present around the globe. This means our ROSE CASES are available exactly where our customers need them – whether in the UK, France, Spain, Italy, or South Korea. And thanks to our distribution partners in Poland, Japan, and Turkey, our service reaches even further.

LOCATIONS WORLDWIDE

BOO EMPLOYEES

70
YEARS OF EXPERIENCE

CHOOSE YOUR CASE.





FLEXIBLE. ERGONOMIC. STYLISH.

RoseCase ErgoLine

DESIGN/ CONSTRUC- TION	Torsion-resistant case shells
HANDLE	Ergonomic handle, optionally with "soft-touch"
CLOSURES	90° swivel locks
IP67	-
COLOR COMBI- NATIONS	Individual color combinations possible
MATERIAL	Polypropylene (PP)
SUSTAIN- ABILITY	Available made from 100% recycled plastic (recyclate)
SIZES	19



ROBUST. PRACTICAL. DURABLE.

RoseCase ProTec

Torsion-resistant case shells
Ergonomic handle
180° swivel locks
-
Individual color combinations possible
Polypropylene (PP)
Available made from 0% recycled plastic (recyclate)

IP 67 & MIL SPECS. TOUGH. RELIABLE.

RoseCase ProSecure

Extra thick walled, shockproof						
Sturdy soft-grip folding handle					• •	
Two-stage snap locks		• • •	• •	• •	• •	
Waterproof and dustproof	 					
-						
Polypropylene (PP)	 					
-						
44						



LIGHTWEIGHT. HANDY. COMPACT.

RoseCase RCS

Foldable handle

Lightweight

Click closure

Individual color combinations possible

Polypropylene (PP)

Available made from 100% recycled plastic (recyclate)

2



ORGANIZED. STRUCTURED. TRANSPARENT.

Rose Cassette

Lightweight and stable

Functional folding handle

180° swivel locks

Individual color combinations possible

Polystyrene (PS) / ABS


_

EXTRAS
FOR YOUR CASE

PAGE











COMFORTABLE TO CARRY

Ergonomically shaped handle for your comfortable handling – optionally available with "soft-touch" for your extra comfort

STANDS STABLE

Flat feet are integrated flush into the contour – ensuring that your case stands stably and securely on any surface

INDIVIDUALLY CONFIGURABLE

Transparent lids, variable depths and many color combinations for your maximum design freedom



_



%

PRODUCT RANGE

Article	Outer dimensions W x H x D (in)	Inner dimensions W x H x D (in)	Inner depth cover / base (in)	Weight (lbs)	Volume (Gallons)	Max. printing area W x H (in)	Max. label area W x H (in)	PU	Stock / standard colors*
RCEL 125 S	7.756x6.575x0.906	7.087x4.921x0.709	0.354 / 0.354	0.26	0.13	4.331x2.756	5.433x3.661	45	
RCEL 125 SM	7.756x6.575x1.378	7.087x4.921x1.181	0.354 / 0.827	0.31	0.21	4.331x2.756	5.433x3.661	30	
RCEL 125 M	7.756x6.575x1.850	7.087x4.921x1.654	0.827 / 0.827	0.33	0.30	4.331x2.756	5.433x3.661	22	
RCEL 155 S	9.606x8.150x1.142	8.858x6.102x0.906	0.453 / 0.453	0.46	0.25	5.315x3.150	6.772x4.567	30	
RCEL 155 SM	9.606x8.150x1.732	8.858x6.102x1.496	0.433 / 1.063	0.51	0.41	5.315x3.150	6.772x4.567	20	
RCEL 155 M	9.606x8.150x2.323	8.858x6.102x2.087	1.043 / 1.043	0.53	0.58	5.315x3.150	6.772x4.567	15	
RCEL 175 S	10.827x9.094x1.220	10.039×6.89×1.024	0.512 / 0.512	0.55	0.38	6.299x3.740	7.677x5.157	30	
RCEL 175 SM	10.827x9.094x1.890	10.039x6.890x1.693	0.512 / 1.181	0.64	0.60	6.299x3.740	7.677x5.157	20	
RCEL 175 M	10.827x9.094x2.559	10.039×6.89×2.362	1.181 / 1.181	0.73	0.83	6.299x3.740	7.677x5.157	15	
RCEL 195 S	12.087x10.236x1.378	11.181x7.677x1.181	0.591 / 0.591	0.75	0.51	7.087x4.331	8.543x5.748	40	
RCEL 195 SM	12.087x10.236x2.165	11.181x7.677x1.890	0.551 / 1.339	0.84	0.84	7.087x4.331	8.543x5.748	25	
RCEL 195 M	12.087x10.236x2.913	11.181x7.677x2.598	1.417 / 1.417	0.93	1.16	7.087x4.331	8.543x5.748	18	
RCEL 220 S	13.622x11.496x1.535	12.598x8.661x1.339	0.669 / 0.669	0.99	0.75	8.268x5.118	9.646x6.496	28	
RCEL 220 SM	13.622x11.496x2.441	12.598x8.661x2.205	0.669 / 1.535	1.12	1.22	8.268x5.118	9.646x6.496	18	
RCEL 220 M	13.622x11.496x3.307	12.598x8.661x3.071	1.535 / 1.535	1.19	1.69	8.268x5.118	9.646x6.496	13	
RCEL 250 M	15.472x13.032x3.740	14.370x9.843x3.543	1.89 / 1.89	1.68	2.50	9.449x5.906	10.984x7.402	8	
RCEL 290 M	17.953x15.118x4.331	16.575x11.417x3.937	2.126 / 2.126	2.29	3.93	10.630x7.087	12.756x8.583	5	
RCEL 290 ML	17.953x15.118x5.000	16.575x11.417x4.567	2.126 / 2.795	2.34	4.48	10.630x7.087	12.756x8.583	4	
RCEL 290 L	17.953x15.118x5.669	16.575x11.417x5.197	2.795 / 2.795	2.51	5.03	10.630x7.087	12.756x8.583	4	





MATERIAL

Polypropylene (PP)
 or recycled material











INDIVIDUAL CUSTOM OPTIONS

- Standard foams (convoluted foam, flat foam, cubed foam)
- Customized foam inserts
- Multicolor printing
- Label
- Cases and closures also available in numerous customized colors or color combinations
- Transparent lid
- Fully textured case surface available
- Handle with "soft-touch"-finish (for all RCELs with the article description "M")
- 100% recycled plastic (recyclate)

ROBUST. PRACTICAL. DURABLE.

ROSE CASE PROTEC







EASY HANDLING

180° swiveling locks – providing long-lasting function and easy opening and closing for your case


STABLE AND SPACE-SAVING

Flat feet without protruding parts – your case is secure and stands stably with a professional appearance

DURABLE AND FUNCTIONAL

AND THE RESIDENCE OF THE PROPERTY OF THE PROPE

Internal, concealed hinges protect your case against wear and tear from external influences





ROSE CASE PROTEC

PRODUCT RANGE

Article	Outer dimensions W x H x D (in)	Inner dimensions W x H x D (in)	Inner depth cover / base (in)	Weight (lbs)	Volume (Gallons)	Max. printing area W x H (in)	Max. label area W x H (in)	PU	Stock / standard colors*
RCPT 105 M	7.362x5.630x1.654	6.890x4.134x1.378	0.472 / 0.906	0.29	0.19	5.512x1.969	6.969x2.362	28	
RCPT 136 M	9.449x7.205x1.890	8.976x5.354x1.654	0.827 / 0.827	0.51	0.39	7.480x2.362	9.055x3.189	24	
RCPT 161 L	10.315x8.268x2.835	9.606x6.339x2.598	1.299 / 1.299	0.73	0.77	8.268x3.150	9.685x3.976	10	
RCPT 175 M	10.827x8.858x3.307	10.276x6.890x3.031	1.516 / 1.516	0.88	1.00	8.661x3.543	10.394x4.252	9	
RCPT 222 S	13.307x10.748x3.307	12.835x8.740x3.031	1.516 / 1.516	1.23	1.60	11.024x5.118	12.598x5.906	12	
RCPT 222 SM	13.307x10.748x4.843	12.835x8.740x4.567	1.496 / 3.071	1.43	2.39	11.024x5.118	12.598x5.906	8	
RCPT 222 M	13.307x10.748x6.417	12.835x8.740x6.142	3.071 / 3.071	1.65	3.19	11.024x5.118	12.598x5.906	6	
RCPT 237 M	15.551x11.614x4.213	15.039x9.331x3.937	1.969 / 1.969	1.72	2.57	11.024x5.512	15.000x6.457	5	
RCPT 296 M	17.953x14.055x5.512	17.087x11.654x5.197	2.598 / 2.598	2.95	4.83	14.173x7.480	17.205x8.819	4	

*mostly available from stock











MATERIAL


Polypropylene (PP)
 or recycled material




INDIVIDUAL CUSTOM OPTIONS

- Standard foams (convoluted foam, flat foam, cubed foam)
- Customized foam inserts
- Multicolor printing
- Label

- Cases and closures also available in numerous customized colors or color combinations
- Transparent lid
- Fully textured case surface available
- 100% recycled plastic (recyclate)







IP 67 -Waterproof & Dustproof

The seal in the lid provides your products with reliable protection against water, dust and moisture

OPTIMAL PROTECTION UNDER THE TOUGHEST CONDITIONS

Extremely shock-resistant, robust and stable thanks to extra-thick walls

EASY-TO-OPEN DOUBLE LOCK

Well-designed, two-stage locks combine easy access with high security



%

ROSE CASE PRO SECURE



PRODUCT RANGE

Article	Outer	Inner	Inner depth	Weight	Volume	Temperature	PU	Color
	dimensions W x H x D (in)	dimensions W x H x D (in)	cover / base (in)	(lbs)	(Gallons)	(°F Low / °F High)		
RCPS 82	6.890x4.528x1.850	6.181x3.228x1.614	1.142 / 0.472	0.31	0.14	14.00 / 176.00	12	
RCPS 140	9.055x6.890x2.087	8.346x5.512x1.850	1.299 / 0.551	0.71	0.37	14.00 / 176.00	12	
RCPS 92	12.165x5.039x2.815	11.496x3.622x2.559	2.028 / 0.531	0.62	0.42	14.00 / 176.00	15	
RCPS 195	13.780x9.055x2.323	12.441x7.677x2.087	1.457 / 0.630	1.15	0.86	14.00 / 176.00	6	
RCPS 195 L	13.780x9.055x3.386	12.441x7.677x3.189	2.559 / 0.630	1.28	1.32	14.00 / 176.00	4	
RCPS 125	8.780x6.772x4.016	7.874x4.921x3.543	2.697 / 0.846	1.23	0.53	-59.80 / 194.00	4	
RCPS 180	10.157x9.567x4.606	9.252x7.087x4.173	3.189 / 0.984	1.85	1.18	-22.00 / 194.00	4	
RCPS 180 L	10.157x9.567x6.575	9.252x7.087x6.142	5.157 / 0.984	2.20	1.74	-22.00 / 194.00	4	
RCPS 225	13.228x11.811x5.827	11.811x8.858x5.197	3.898 / 1.299	3.57	2.35	-22.00 / 194.00	4	•
RCPS 270/1	16.299x13.583x5.079	14.961x10.630x4.528	3.110 / 1.417	4.10	3.11	-22.00 / 194.00	2	
RCPS 270/2	16.299x13.583x6.850	14.961x10.630x6.299	4.882 / 1.417	4.85	4.34	-22.00 / 194.00	2	
RCPS 230	17.953x11.417x12.520	15.748x9.055x10.236	8.366 / 1.870	5.38	5.81	-22.00 / 194.00	2	
RCPS 290/1	18.268x14.409x6.929	16.772×11.417×6.260	4.488 / 1.772	6.08	5.19	-22.00 / 194.00	2	
RCPS 335/1	19.764x16.339x5.551	18.307x13.189x4.921	3.346 / 1.575	5.73	5.14	-22.00 / 194.00	1	
RCPS 335/2	19.764x16.339x9.685	18.307x13.189x8.661	7.087 / 1.575	7.54	9.05	-22.00 / 194.00	1	
RCPS 335/2 TR	19.764x16.614x10.512	18.307x13.189x8.661	7.087 / 1.575	9.74	9.05	-22.00 / 194.00	1	
RCPS 350	21.850x16.850x8.307	19.685x13.780x7.638	5.354 / 2.283	8.60	8.97	-22.00 / 194.00	1	•
RCPS 350 TR	21.850x17.520x10.157	19.685x13.780x7.638	5.354 / 2.283	11.02	8.97	-22.00 / 194.00	1	
RCPS 350 L	21.850x16.850x12.047	19.685x13.780x11.024	8.740 / 2.283	10.80	12.94	-22.00 / 194.00	1	
RCPS 350 L TR	21.850x16.850x12.047	19.685x13.780x11.024	8.740 / 2.283	13.05	12.94	-22.00 / 194.00	1	
RCPS 290/2	22.598x14.213x8.858	20.472x11.417x7.874	6.102 / 1.772	7.94	7.97	-22.00 / 194.00	1	
RCPS 290/2 TR	23.032x14.213x9.370	20.472x11.417x7.874	6.102 / 1.772	11.24	7.97	-22.00 / 194.00	1	

	-		
-		 -	-
	-		Г-1

CERTIFICATIONS

With Wheels	With ex- tendable handle		Ctrl panel fixing pts (base)	Hinge and bracket slots (base)	Hinge and bracket slots (lid)	IP67	ATA300	STANAG 4280	DEF-STAN 81-41	MIL STD 810 G	UN4H2
						•					
						•					
						•					
						•					
						•					
			•			•		•	•	•	
			•			•	•	•	•	•	
			•			•	•	•	•	•	
		•	•		•	•	•	•	•	•	
		•	•		•	•		•	•	•	
		•	•		•	•	•	•	•	•	•
		•	•	•	•	•	•	•	•	•	
		•	•		•	•	•	•	•	•	
		•	•		•	•	•	•	•	•	
		•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•
		•	•		•	•	•	•	•	•	
•	•	•	•		•		-		•		
		•				•	•	•	•	•	
•	•	•				•	•	•	•	•	
	-	-				•	•	•	•	•	
							•	•			
•	•					•	•	•	•	•	





%

ROSE CASE PRO SECURE



PRODUCT RANGE

Article dimensions Wx H x D (in) Inner dimensions Wx H x D (in) Inner depth cover / base (in) Weight (bs) Volume (Gallons) Temperature (F Low / F High) PU Color dimensions (ins) RCPS 405 23.386x18.622x8.465 21.181x15.945x7.480 5.512 / 1.969 10.49 10.94 -22.00 / 194.00 1 ■ RCPS 405 TR 23.386x18.622x10.630 21.181x15.945x9.646 7.677 / 1.969 11.68 14.10 -22.00 / 194.00 1 ■ RCPS 405 L TR 23.780x18.622x11.142 21.181x15.945x9.646 7.677 / 1.969 11.68 14.10 -22.00 / 194.00 1 ■ RCPS 405 L TR 23.780x18.622x11.142 21.181x15.945x9.646 7.677 / 1.969 15.21 14.10 -22.00 / 194.00 1 ■ RCPS 615 26.772x26.575x15.354 24.213x24.213x14.173 11.811 / 2.362 27.78 35.66 -22.00 / 194.00 1 ■ RCPS 615 26.772x26.575x15.945 24.213x24.213x14.173 11.811 / 2.362 27.78 35.66 -22.00 / 194.00 1 ■ RCPS 460 27.047x20.787x11.260 2									
RCPS 405 TR 23.780x18.622x8.858 21.181x15.945x7.480 5.512 / 1.969 14.11 10.94 -22.00 / 194.00 1	Article	dimensions	dimensions	cover / base	•		•	PU	Color
RCPS 405 L 23.386x18.622x10.630 21.181x15.945x9.646 7.677 / 1.969 11.68 14.10 -22.00 / 194.00 1 RCPS 405 L TR 23.780x18.622x11.142 21.181x15.945x9.646 7.677 / 1.969 15.21 14.10 -22.00 / 194.00 1 RCPS 615 26.772x26.575x15.354 24.213x24.213x14.173 11.811 / 2.362 24.25 35.66 -22.00 / 194.00 1 RCPS 615 TR 26.772x26.575x15.945 24.213x24.213x14.173 11.811 / 2.362 27.78 35.66 -22.00 / 194.00 1 RCPS 460 27.047x20.787x10.866 24.409x18.10x9.843 7.480 / 2.362 14.99 18.43 -22.00 / 194.00 1 RCPS 460 TR 27.047x20.787x11.260 24.409x18.10x9.843 7.480 / 2.362 18.61 18.43 -22.00 / 194.00 1 RCPS 460 L 27.047x20.787x14.409 24.409x18.110x13.386 11.024 / 2.362 17.20 25.36 -22.00 / 194.00 1 RCPS 460 L 27.047x20.787x14.803 24.409x18.110x13.386 11.024 / 2.362 20.72 25.36 -22.00 / 194.00 1 RCPS 335 L 27.638x15.984x14.173 24.803x13.189x13.189 10.039 / 3.150 15.87 17.96 -59.80 / 194.00 1 RCPS 480 32.126x21.260x12.047 29.528x18.898x11.024 8.661 / 2.362 20.50 26.63 -22.00 / 194.00 1 RCPS 480 32.126x21.260x12.047 29.528x18.898x11.024 8.661 / 2.362 20.50 26.63 -22.00 / 194.00 1 RCPS 370 33.465x17.323x6.220 31.496x14.567x5.512 3.740 / 1.772 11.02 10.95 -22.00 / 194.00 1 RCPS 680/1 46.378x30.709x12.992 42.913x26.772x11.024 8.268 / 2.756 38.58 56.80 -59.80 / 194.00 1 RCPS 680/2 RL 46.378x30.709x17.598 42.913x26.772x16.142 8.268 / 7.874 42.99 79.25 -59.80 / 194.00 1 RCPS 680/3 46.378x30.709x27.638 42.913x26.772x26.779 17.323 / 7.576 50.71 104.35 -59.80 / 194.00 1	RCPS 405	23.386x18.622x8.465	21.181x15.945x7.480	5.512 / 1.969	10.49	10.94	-22.00 / 194.00	1	
RCPS 405 L TR	RCPS 405 TR	23.780x18.622x8.858	21.181x15.945x7.480	5.512 / 1.969	14.11	10.94	-22.00 / 194.00	1	
RCPS 615	RCPS 405 L	23.386x18.622x10.630	21.181x15.945x9.646	7.677 / 1.969	11.68	14.10	-22.00 / 194.00	1	
RCPS 615 TR 26.772x26.575x15.945 24.213x24.213x14.173 11.811 / 2.362 27.78 35.66 -22.00 / 194.00 1	RCPS 405 L TR	23.780x18.622x11.142	21.181x15.945x9.646	7.677 / 1.969	15.21	14.10	-22.00 / 194.00	1	
RCPS 460	RCPS 615	26.772x26.575x15.354	24.213x24.213x14.173	11.811 / 2.362	24.25	35.66	-22.00 / 194.00	1	
RCPS 460 TR 27.047x20.787x11.260 24.409x18.110x9.843 7.480 / 2.362 18.61 18.43 -22.00 / 194.00 1	RCPS 615 TR	26.772x26.575x15.945	24.213x24.213x14.173	11.811 / 2.362	27.78	35.66	-22.00 / 194.00	1	
RCPS 460 L 27.047x20.787x14.409 24.409x18.110x13.386 11.024 / 2.362 17.20 25.36 -22.00 / 194.00 1	RCPS 460	27.047x20.787x10.866	24.409x18.110x9.843	7.480 / 2.362	14.99	18.43	-22.00 / 194.00	1	
RCPS 460 L TR 27.047x20.787x14.803 24.409x18.110x13.386 11.024 / 2.362 20.72 25.36 -22.00 / 194.00 1	RCPS 460 TR	27.047x20.787x11.260	24.409x18.110x9.843	7.480 / 2.362	18.61	18.43	-22.00 / 194.00	1	
RCPS 335 L 27.638x15.984x14.173 24.803x13.189x13.189 10.039 / 3.150 15.87 17.96 -59.80 / 194.00 1	RCPS 460 L	27.047x20.787x14.409	24.409x18.110x13.386	11.024 / 2.362	17.20	25.36	-22.00 / 194.00	1	
RCPS 480 32.126x21.260x12.047 29.528x18.898x11.024 8.661 / 2.362 20.50 26.63 -22.00 / 194.00 1	RCPS 460 L TR	27.047x20.787x14.803	24.409x18.110x13.386	11.024 / 2.362	20.72	25.36	-22.00 / 194.00	1	
RCPS 480 L 32.126x21.260x16.772 29.528x18.898x15.748 13.386 / 2.362 23.28 38.04 -22.00 / 194.00 1	RCPS 335 L	27.638x15.984x14.173	24.803x13.189x13.189	10.039 / 3.150	15.87	17.96	-59.80 / 194.00	1	
RCPS 370 33.465x17.323x6.220 31.496x14.567x5.512 3.740 / 1.772 11.02 10.95 -22.00 / 194.00 1 RCPS 600 34.646x25.984x19.016 32.283x23.622x17.717 14.961 / 2.756 32.58 58.49 -22.00 / 194.00 1 RCPS 680/1 46.378x30.709x12.992 42.913x26.772x11.024 8.268 / 2.756 38.58 56.80 -59.80 / 194.00 1 RCPS 680/2 RL 46.378x30.709x17.598 42.913x26.772x16.142 8.268 / 7.874 42.99 79.25 -59.80 / 194.00 1 RCPS 680/3 46.378x30.709x22.205 42.913x26.772x20.079 17.323 / 2.756 50.71 104.35 -59.80 / 194.00 1 RCPS 680/4 RL 46.378x30.709x27.638 42.913x26.772x25.197 17.323 / 7.874 54.67 126.80 -59.80 / 194.00 1	RCPS 480	32.126x21.260x12.047	29.528x18.898x11.024	8.661 / 2.362	20.50	26.63	-22.00 / 194.00	1	
RCPS 600 34.646x25.984x19.016 32.283x23.622x17.717 14.961 / 2.756 32.58 58.49 -22.00 / 194.00 1	RCPS 480 L	32.126x21.260x16.772	29.528x18.898x15.748	13.386 / 2.362	23.28	38.04	-22.00 / 194.00	1	
RCPS 680/1 46.378x30.709x12.992 42.913x26.772x11.024 8.268 / 2.756 38.58 56.80 -59.80 / 194.00 1 RCPS 680/2 RL 46.378x30.709x17.598 42.913x26.772x16.142 8.268 / 7.874 42.99 79.25 -59.80 / 194.00 1 RCPS 680/3 46.378x30.709x22.205 42.913x26.772x20.079 17.323 / 2.756 50.71 104.35 -59.80 / 194.00 1 RCPS 680/4 RL 46.378x30.709x27.638 42.913x26.772x25.197 17.323 / 7.874 54.67 126.80 -59.80 / 194.00 1	RCPS 370	33.465x17.323x6.220	31.496x14.567x5.512	3.740 / 1.772	11.02	10.95	-22.00 / 194.00	1	
RCPS 680/2 RL 46.378x30.709x17.598 42.913x26.772x16.142 8.268 / 7.874 42.99 79.25 -59.80 / 194.00 1 RCPS 680/3 46.378x30.709x22.205 42.913x26.772x20.079 17.323 / 2.756 50.71 104.35 -59.80 / 194.00 1 RCPS 680/4 RL 46.378x30.709x27.638 42.913x26.772x25.197 17.323 / 7.874 54.67 126.80 -59.80 / 194.00 1	RCPS 600	34.646x25.984x19.016	32.283x23.622x17.717	14.961 / 2.756	32.58	58.49	-22.00 / 194.00	1	
RCPS 680/3 46.378x30.709x22.205 42.913x26.772x20.079 17.323 / 2.756 50.71 104.35 -59.80 / 194.00 1 RCPS 680/4 RL 46.378x30.709x27.638 42.913x26.772x25.197 17.323 / 7.874 54.67 126.80 -59.80 / 194.00 1	RCPS 680/1	46.378x30.709x12.992	42.913x26.772x11.024	8.268 / 2.756	38.58	56.80	-59.80 / 194.00	1	
RCPS 680/4 RL 46.378x30.709x27.638 42.913x26.772x25.197 17.323 / 7.874 54.67 126.80 -59.80 / 194.00 1	RCPS 680/2 RL	46.378x30.709x17.598	42.913x26.772x16.142	8.268 / 7.874	42.99	79.25	-59.80 / 194.00	1	
	RCPS 680/3	46.378x30.709x22.205	42.913x26.772x20.079	17.323 / 2.756	50.71	104.35	-59.80 / 194.00	1	
DODG 070 L 46 000 4747 6 000 40 007 44 007 5 540 0740 4470 4700 45 05 00 40 00 4	RCPS 680/4 RL	46.378x30.709x27.638	42.913x26.772x25.197	17.323 / 7.874	54.67	126.80	-59.80 / 194.00	1	
KCPS 3/U L 46.339X17./1/X6.220 43.30/X14.56/X5.512 3./40/1.//2 17.20 15.05 -22.00/194.00 1	RCPS 370 L	46.339x17.717x6.220	43.307x14.567x5.512	3.740 / 1.772	17.20	15.05	-22.00 / 194.00	1	
RCPS 370 L/2 46.339x17.717x13.701 43.307x14.567x12.992 11.220 / 1.772 24.03 34.34 -59.80 / 194.00 1	RCPS 370 L/2	46.339x17.717x13.701	43.307x14.567x12.992	11.220 / 1.772	24.03	34.34	-59.80 / 194.00	1	
RCPS 370 L/1 55.906x17.323x6.614 53.150x14.567x5.906 4.134 / 1.772 18.30 19.81 -59.80 / 194.00 1	RCPS 370 L/1	55.906x17.323x6.614	53.150x14.567x5.906	4.134 / 1.772	18.30	19.81	-59.80 / 194.00	1	

	- 63	FII	-	FA
H	:A	lU	K	Ł۵

CERTIFICATIONS

With Wheels	With ex- tendable handle		Eyelets for shoulder strap	Ctrl panel fixing pts (base)	Hinge and bracket slots (base)	Hinge and bracket slots (lid)	IP67	ATA300	STANAG 4280	DEF-STAN 81-41	MIL STD 810 G	UN4H2
							•		•	•	•	•
•	•						•		•	•	•	•
							•	•	•	•	•	
•	•						•	•	•	•	•	
•							•		•	•	•	
•	•						•		•	•	•	
•							•	•	•	•	•	
•	•						•	•	•	•	•	
•							•		•	•	•	
•	•						•		•	•	•	
•					•	•	•		•	•	•	
•							•		•	•	•	
•							•	•	•	•	•	
							•	•	•	•	•	
•							•	•	•	•	•	
•							•	•	•	•	•	
•		•					•	•	•	•	•	
•							•	•	•	•	•	
•		•					•	•	•	•	•	
•							•	•	•	•	•	
•							•		•	•	•	
•							•		•	•	•	







IP67. TOUGH & RELIABLE. MIL SPECS.



ROSE CASE

Everything at your fingertips.

Padded dividers protect sensitive technology, while the tool insert keeps everything organized. With a shoulder strap and a document pouch, the Rose Case ProSecure becomes a mobile workstation.














Secure and customizable.

Different foam inserts provide maximum protection for your contents. The trolley function and special colors give the case mobility and a unique look.







MATERIAL

- Polypropylene (PP)
- Nylon

CERTIFICATIONS













INDIVIDUAL CUSTOM OPTIONS

- Standard foams (cubed foam / convoluted foam)

FIXING POINTS TO MOUNT

- Customized foam inserts
- Multicolor printing
- Label
- Cases also in customized colors available
- Trolley

- Shoulder strap
- Document pouch
- Tool storage system
- Padded dividers
- and much more



PRODUCT RANGE



mostly available from stock



INDIVIDUAL CUSTOM OPTIONS

- Customized foam inserts
- Multicolor printing
- Label
- Cases also available in numerous customized colors or color combinations
- Transparent lid
- Smooth case surface available for colored case shells
- 100% recycled plastic (recyclate)



 Polypropylene (PP) or recycled material





LIGHTWEIGHT. HANDY. COMPACT.

ROSE CASE



LIGHTWEIGHT, **STRONG PROTECTION**


Extremely stable and easy to transport your products despite its low weight

SPACE-SAVING AND SECURE

The folding handle disappears seamlessly into the contour and provides additional protection against accidental opening of your case

FLEXIBLE STORAGE

Stands upright or on its side thanks to clever product design, enabling flexible use and storage options



ORGANIZED. STRUCTURED. TRANSPARENT.

ROSECASSETTE







EVERYTHING IN VIEW

The transparent lid saves time and makes organization easier – especially when accessing the contents frequently

DOUBLE PROTECTIVE FUNCTION

The handle can be swivelled 90° and folded away, and when unfolded provides additional protection against accidental opening

EASY TO STACK, SAFE TO STORE

Integrated stacking lugs enable stable stacking on top of each other

ORGANIZED. STRUCTURED. TRANSPARENT.



PRODUCT RANGE

Article	Outer dimensions W x H x D (in)	Inner dimensions W x H x D (in)	Inner depth cover / base (in)	Weight (lbs)	Volume (Gallons)	Max. printing area W x H (in)	Max. label area W x H (in)	PU	Stock / standard colors
CR 212/02	12.835x9.488x2.244	12.283x8.346x2.087	0.512 / 1.457	1.04	0.79	11.024x4.724	12.362x6.142	11	



INDIVIDUAL CUSTOM OPTIONS

- Numerous thermoformed inserts with various dividers
- Customized foam inserts
- Multicolor printing
- Label
- Cases and closures also available in numerous customized colors or color combinations

MATERIAL

- Base: Polystyrene (PS)
- Cover: ABS
- Hinge: Polyamide (PA)
- Closure: NYLON
- Handle: Polyethylene (PE)

ROSE CASE COLOR PALETTE








Get even more out of your ROSE CASE with foam, inserts, and accessories.

STANDARD FOAMS

Foams in different variants and qualities reliably protect your product – exactly according to your needs.



Absorbs impacts, breathable, elastic



Flexible and durable, suitable for a wide range of applications



Easily customizable with pre-scored cubes

THERMOFORMED INSERTS

Provide reliable protection for your products during


- Custom thermoformed inserts available on request

- Standard thermoformed inserts available for

CUSTOMIZED FOAM

Customize the interior of your ROSE CASE exactly how you need it – precision fit, premium quality, and a clean, professional look.

- Perfectly cut foam to your product (Waterjet cutting, CNC milling or die cutting)
- Colored or two-color foam available on requestOptional laser engraving of your logo or text



storage and transport.

- Resistant to dirt and moisture

RoseCassette

MAKE YOUR ROSE CASE UNIQUE With printing, labeling, or engraving, your case becomes truly unique.

PRINTING

A high-quality print turns your case into a brand ambassador.





COLORS & COLOR COMBINATIONS

Black, red, blue – or your own look.

Depending on the case model, you can mix and match the lid, base, and latches.

Special colors available on request.

LABEL

We manufacture your case, assemble it so it's ready to use, and include the labels.



SURFACES

Smooth or textured — showcase your branding perfectly with a case surface that matches your product.

RELIEF / 3D LOGO

Give your suitcase personality: a logo integrated into the suitcase shell stands out and is durable.





SOFT-TOUCH HANDLE

Everything under control thanks to "soft-touch": The TPE coating ensures a non-slip grip. Available for all Rose Case ErgoLine cases with the item description "M".



Less virgin plastic, more circular economy: many of our case series are also available made from 100% recycled material.



BY YOUR SIDE


STEP BY STEP

From the initial briefing and prototype to the final solution, we're with you at every step — making sure everything is just right in the end.

STEP 1

YOUR PRODUCT

Let's find the perfect solution together: just send us the data/specs for the products you want to package – we'll take care of the rest.






STP 2


WE DEVELOP THE RIGHT PACKAGING CONCEPT





The ideal case

Together, we will find the optimal case solution for your requirements.



Customized interior


Foam precisely tailored to your products.



The perfect look

Logo printing or labels in your brand design.





STEP 3

YOU DECIDE

If desired, we can create a sample, prototype, or 3D concept for you. We will only start production once you have given your approval.



STEP 4

YOUR PERFECT CASE SOLUTION





30

BY YOUR SIDE

WWW.ROSE-CASE.US

ANY QUESTIONS? GET IN TOUCH.



PRODUCTION LOCATIONS

GERMANY

rose plastic AG

Rupolzer Straße 53 88138 Hergensweiler/Lindau Tel. +49 8388 9200-0 info@rose-plastic.de

rose plastic medical packaging GmbH

Rupolzer Straße 30 88138 Hergensweiler/Lindau Tel. +49 8388 92345-0 info@rose-medipack.de

USA

rose plastic USA, L.L.L.P.

P.O. Box 698, California, PA 15419-0698 Tel. +1 724 938 8530 info@rose-plastic.us

rose plastic medical packaging USA LLLP

P.O. Box 210, California, PA 15419 Tel. +1 724 938 8530 info@rose-medipack.us

CHINA

rose plastic (Kunshan) Co., Ltd.

Donghui Road No. 101, Zhoushi Town, Kunshan, Jiangsu Province Tel. +86 512 5766 7700 info@rose-plastic.cn

BRAZIL

rose plastic Brasil

Embalagens Plásticas Ltda.

Av. Garabed Gananiam 514, Jardim Topázio CEP 18087-340 Sorocaba SP Tel. +55 15 3238 1900 info@rose-plastic.com.br

INDIA

rose plastic India Pvt. Ltd.

Pargaon, Khandala, Satara - 412802 Maharashtra – India Tel. +91 21 6929 9151 info@rose-plastic.in

SUBSIDIARIES

UNITED KINGDOM

rose plastic UK Ltd.

Unit 4, Bessemer Way, Bessemer Business Park, Rotherham, S60 1EN Tel. +44 1709 7217 94 info@rose-plastic.co.uk

FRANCE

rose plastic France S.A.R.L.

Parc d'Activités du Rotey 73460 Notre Dame des Millières Tel. +33 479 3848 01 info@rose-plastic.fr

SPAIN

rose plastic Iberia, S.L.U.

P.A.E. Ibarrabarri, Pab. 15B 48940 Leioa (Vizcaya) Tel. +34 94 480 66 61 info@rose-plastic.es

REPUBLIC OF KOREA

rose plastic Korea Co., Ltd.

Bucheon Techno Park 402-B01, B02, Pyung-Cheon Ro 655, Won-mi-gu, Bucheon City, Gyung-gi-do, ROK 14502 Tel. +82 32 324-8332 info@rose-plastic.kr

ITALY

rose plastic Italia S.r.I. Viale De Gasperi 103 20017 Rho (MI) Tel. +39 02 9390 9450 info@rose-plastic.it

SALES PARTNERS

JAPAN

Honda Plus Co.Ltd. 23-2 Kawaji Yato Shinshiro Pref. Aichi 441-13

Tel. +81 5362 31351 info.jp@rose-plastic.com

POLAND


Leniar International Sp. z o.o. Sp.K.

UI.Szlak 67 31-153 Kraków Tel. +48 12 6331 670 info.pl@rose-plastic.com

TURKEY

Tureks Endüstriyel Ürünler Pazarlama Ve Dış Ticaret A.Ş.

1471 Sokak No. 7 K:5 D:13 Kenet Sitesi 35220 Alsancak – Izmir Tel. +90 232 464 5220 info.tr@rose-plastic.com





11/2025